


INSTA PIC

QUILT PATTERN BY

birchQUILTS





VERBIAGE & NOTES

- WOF - Width of Fabric. Pattern assumes fabric is 44" wide.
- Seam allowance - ¼"
- Pattern makes a lap size measuring 47.5 x 55", but can easily be modified to make a different size.

Please read through all
directions before beginning!

FABRIC REQUIREMENTS

	COLOR 1	FQ
	COLOR 2	FQ
	COLOR 3	FQ
	COLOR 4	FQ
	COLOR 5	FQ
	COLOR 6	FQ
	COLOR 7	FQ
	COLOR 8	FQ
	COLOR 9	5/8
	COLOR 10	1yd
	BINDING	½ yd
	BACKING	3 yds

FEATURING FABRIC FROM BEST OF CHARLEY HARPER VOL.2




CH-74 C1
Round Robin



CH-NF-04 C2
Songbird



CH-299 C3
Box Seat




CH-301 C4
Flamboyant Feathers




CH-65 C5
Eastern Meadowlark




CH-300 C6
End Papers Natural



CH-56 C7
Bird Architects Main



CH-60 C8
Barn Swallow Graphite



MBS-SOLIDS C09
White



MBS-SOLIDS C10
Soft Black

Fat eights will work for this size, but a fat quarters will allow for fussy cutting on directional or larger scale fabrics.

CUTTING

COLOR 1 - Cut (4) 6.5" x 6.75" rectangles. With directional fabric, be sure that the longer measurement is vertical.

COLORS 2 - 8 - Cut (3) 6.5" x 6.75" rectangles of each print. With directional fabric, be sure that the longer measurement is vertical.

COLOR 9 - Cut (14) 1" x WOF strips. Subcut into (50) 1" x 6.75" pieces, and (25) 1" x 7.5" pieces. Cut (5) 2.25" x WOF strips. Subcut into (25) 2.25" x 7.5" pieces.

COLOR 10 - Cut (13) 2.5" x WOF strips. Subcut (4) strips into (20) 2.5" x 9" pieces. Sew (5) 2.5" x WOF strips into one long strip, leaving (4) 2.5" x WOF strips remaining.

BLOCK ASSEMBLY

- Sew along the long sides (2) 1" x 6.75" pieces.

Press seams. **Fig. 1**

- Sew (1) 1" x 7.5" pieces along the top and (1) 2.25" x 7.5" piece along the bottom. Press seams.

Fig. 2

- Repeat to make (25) blocks.

Fig. 1





Fig. 2



QUILT ASSEMBLY

- Sew together quilt top as show in **Fig. 3**. The (20) 2.5" x 9" pieces will connect the blocks into vertical block strips. Press seams. Use the (4) 2.5" x WOF strips in between the block strips, and trim down to 43.5". Press seams. Cut down the long 2.5" strip to be top, bottom, and side borders in the measurements shown, attaching the side borders first, then the top and bottom. Press seams. Quilt and bind as desired.

Fig. 3

